

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22820	oxygen near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:21
L2	7	predeterm\$3 near capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:22
L3	0	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:21
L4	9866	measur\$3 near capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:41
L5	53	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:22
L6	50	5 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:22
L7	5	6 and shell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:23
L8	9	6 and capacitance near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:34

L9	50	6 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:34
L10	19	("4058368"   "4300990"   "4313338"   "4878015"   "4928513"   "4931851"   "4944273"   "5017340"   "5345213"   "5362975"   "5430428"   "5656827"   "5698771"   "5777207"   "5902556"   "5948965"   "6111280"   "6114943"   "6190039").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 15:36
L11	0	("6418784").URPN.	USPAT	OR	ON	2005/05/04 15:40
L12	21597	measur\$3 near capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:42
L13	110	1 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:42
L14	47	13 and (engine or exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:07
L15	1625	1 and water near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:01
L16	55	1 and water near2 oxygen adj sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:01
L17	1	16 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:01

L18	17	16 and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:04
L19	0	16 and capacit\$4 with electric4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:04
L20	0	15 and capacit\$4 with electric4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:04
L21	4463	1and capacit\$4 with electric4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:04
L22	0	1 and capacit\$4 with electric4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:05
L23	591	1 and capacit\$4 with electric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:05
L24	179	1 and capacitance with electric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:05
L25	137	24 and oxygen adj sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:05

L26	46	25 and (engine or exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:08
-----	----	----------------------------	---	----	----	------------------

L18	27	11 and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:39
L19	6640	measuring near2 capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:13
L20	51	10 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:09
L21	19	20 and engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:12
L22	21	20 and exhaust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:14
L23	2	22 not 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:12
L24	14228	measur\$3 near2 capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:14
L25	85	10 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:14

L26	30	25 and exhaust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:14.
-----	----	----------------	---	----	----	-------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2235	"123"/\$.ccls. and oxygen adj sensor	USPAT	OR	OFF	2005/02/02 14:36
L2	310	1 and heating	USPAT	OR	OFF	2005/02/02 14:37
L3	102	2 and capacit\$4	USPAT	OR	OFF	2005/02/02 14:37
L4	10	2 and capacitance	USPAT	OR	OFF	2005/02/02 14:53
L5	0	2 and capacitance near2 measur\$4	USPAT	OR	OFF	2005/02/02 14:38
L6	3	1 and capacitance near2 measur\$4	USPAT	OR	OFF	2005/02/02 15:37
L7	0	1 and capacitance near2 oxygen adj sensor	USPAT	OR	OFF	2005/02/02 15:11
L8	2	1 and capacitor near2 oxygen adj sensor	USPAT	OR	OFF	2005/02/02 14:44
L9	23	1 and water near2 oxygen adj sensor	USPAT	OR	OFF	2005/02/02 14:45
L10	1	9 and (capacitor or capacitance)	USPAT	OR	OFF	2005/02/02 14:45
L11	0	2 and capacitance with (measur\$4 or calcul\$4)	USPAT	OR	OFF	2005/02/02 14:53
L12	9	1 and capacitance with (measur\$4 or calcul\$4)	USPAT	OR	OFF	2005/02/02 14:56
L13	0	1 and capacitance with electrode near2 shell	USPAT	OR	OFF	2005/02/02 15:01
L14	3	1 and capacitance with electrode	USPAT	OR	OFF	2005/02/02 15:09
L15	330	219/482	USPAT	OR	OFF	2005/02/02 15:09
L16	851	219/499	USPAT	OR	OFF	2005/02/02 15:10
L17	1840	219/501	USPAT	OR	OFF	2005/02/02 15:10
L18	2395	15 or 16 or 17	USPAT	OR	OFF	2005/02/02 15:10
L19	0	18 and capacitance near2 oxygen adj sensor	USPAT	OR	OFF	2005/02/02 15:11
L20	6171	18 and capacitance with oxygen adj sensor	USPAT	OR	OFF	2005/02/02 15:11
L21	0	18 and capacitance with oxygen adj sensor	USPAT	OR	OFF	2005/02/02 15:12
L22	0	18 and capacitor with oxygen adj sensor	USPAT	OR	OFF	2005/02/02 15:12
L23	187	18 and capacitance	USPAT	OR	OFF	2005/02/02 15:24
L24	1	23 and oxygen near2 sensor	USPAT	OR	OFF	2005/02/02 15:13
L25	0	18 and capacitance with electrode with shell	USPAT	OR	OFF	2005/02/02 15:15
L26	13	oxygen adj sensor same water same moisture	USPAT	OR	OFF	2005/02/02 15:25
L27	11	26 and measur\$5	USPAT	OR	OFF	2005/02/02 15:16
L28	1	27 and capacitance	USPAT	OR	OFF	2005/02/02 15:25

L29	3	1 and capacity near2 measur\$4	USPAT	OR	OFF	2005/02/02 15:40
-----	---	--------------------------------	-------	----	-----	------------------



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18278	oxygen near sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:23
L2	4673	measuring near capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:09
L3	7085673	"7" and "8"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:08
L4	23	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:57
L5	2	4 and heat\$3 near oxygen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:23
L6	4	4 and heat\$3 near3 oxygen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:14
L7	17	4 and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:39
L8	0	4 and oxygen near seansor near3 engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:16

L9	3	4 and oxygen near sensor near3 engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:16
L10	22820	oxygen near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:23
L11	36	2 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:00
L12	2	11 and heat\$3 near2 oxygen near sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:24
L13	842	1 and heat\$3 near2 oxygen near sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:24
L14	2	13 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:24
L15	2	13 and capacitance near2 electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:25
L16	9	("3751968"   "3924098"   "4101454"   "4224280"   "4293838"   "4298573"   "4321577"   "4338281"   "4407704").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 11:26
L17	9	("4505803").URPN.	USPAT	OR	ON	2005/05/04 11:30